Intro to Web Development HTML – Forms

- *Head to [Glitch](#)*
- *click 'New Project'*
- *& select 'hello-webpage' to start a new activity!*
- *name your project something specific!*
- *find your way to 'index.html' in the panel*

After the opening <body> tag, type the following:

<form method="POST" action="some-file.php">

    // code goes in here

</form>

```html
<form method="POST" action="some-file.php">
</form>
```

- *The action can reflect whatever backend language you are using (php, ruby, node, etc...) (Please note that copy and pasting might cause errors)*

After the opening form tag, type the following:

```
<div class="form-group">
  <label for="name">Name:
  <input type="text" name="name" id="name" />
  </label>
</div>
```

```
<div class="form-group">
    <label for="name">Name:
    <input type="text" name="name" id="name" />
    </label>
</div>
```

Repeat the previous step and include the following input fields:
(Remember to change the values for name="" and id="")

      a. password
      b. email

```
<div class="form-group">
    <label for="name">Password:
    <input type="text" name="password" id="password" />
    </label>
</div>
```

```
<div class="form-group">
    <label for="name">Email:
    <input type="text" name="email" id="email" />
    </label>
</div>
```

After creating the elements, add the following set of code to the form:

```
<select name="age">
        <option value="0-30">0-30</option>
        <option value="31-65">31-65</option>
</select>
```

```
<select name="age">
<option value="0-30">0-30</option>
<option value="31-65">31-65</option>
</select>
```

To create the radio buttons, add the following:

```
<div class="form-group">
        <input type="radio" name="radiostyle" value="radio1" />
        <input type="radio" name="radiostyle" value="radio2" />
        <input type="radio" name="radiostyle" value="radio3" />
</div>
```

```
<select name="age">
<option value="0-30">0-30</option>
<option value="31-65">31-65</option>
</select>
```

To create the checkboxes, add the following:

<div class="form-group">
      <input type="checkbox" name="checkboxstyle" value="checkbox1" />
      <input type="checkbox" name="checkboxstyle" value="checkbox1" />
      <input type="checkbox" name="checkboxstyle" value="checkbox1" />
</div>

```
<div class="form-group">
      <input type="checkbox" name="checkboxstyle" value="checkbox1" />
      <input type="checkbox" name="checkboxstyle" value="checkbox1" />
      <input type="checkbox" name="checkboxstyle" value="checkbox1" />
</div>
```